



Key Polymer Corp. ■ 17 Shepard St. ■ Lawrence, MA 01843
1-888-KEY POLY ■ floorrestore@keypolymer.com

FLOOR RESTORE HOME

SAVE THE FLOORS!

KEY POLYMER FLOOR RESTORE is the ONLY alternative to expensive sectioning or complete replacement of wood truck and trailer floors.

KEY POLYMER FLOOR RESTORE is a lightweight, flexible epoxy system that fills gouges, small cracks, and delaminations and waterproofs the entire floor. It reinforces the wood and is tough enough to stand up to the most punishing cargos.

KEY POLYMER FLOOR RESTORE is safe enough for USDA incidental food contact compliance and is 100% solids with no VOCs so it meets today's safety and environmental concerns.

KEY POLYMER FLOOR RESTORE is:

- Cost effective, restoring floors at 1/10th of typical replacement costs
- Easy to apply, a typical application taking less than two hours

KEY POLYMER FLOOR RESTORE:

- Extends the service life of your truck or trailer and reduces operating costs
- Reduces costly personal injuries and cargo damage claims
- Seals and protects your new truck or trailer floor as well as restores old floors



Key Polymer is ISO 9001 certified and has 45 years in the business of supplying specification materials to the transportation industry.

Visit the Key Polymer website at www.keypolymer.com for a complete product list.




Key Polymer Corp. ■ 17 Shepard St. ■ Lawrence, MA 01843
1-888-KEY POLY ■ floorrestore@keypolymer.com

ABOUT FLOOR RESTORE

About Floor Restore

KEY POLYMER FLOOR RESTORE is the only solution to reverse the deterioration of your truck or trailer floor. KEY POLYMER FLOOR RESTORE is both a coating and a structural epoxy adhesive. It is a lightweight, flexible epoxy system that fills gouges, small cracks, and delaminations, and waterproofs the entire floor.

KEY POLYMER FLOOR RESTORE is a penetrating VOC-free product that structurally bonds wood fibers and delaminations, creating a stronger floor structure. It's tough enough to stand up to the most punishing cargos, yet safe enough for USDA incidental food contact compliance. Best of all, FLOOR RESTORE requires only 8 hours of drying time, and can be applied to the entire trailer floor at less than 1/10th the cost of a new floor.



FLOOR RESTORE is in constant demand as a cost-effective floor maintenance program for fleets throughout the US. Take it from our satisfied customers...

"Floor Restore enables us to cost-effectively bring our worn trailer floors back to new condition. Your product plays an essential role in our business operation. Thank you for your great product."

Norman Borenstein

President, Capital Truck Leasing

"I have used your Floor Restore and Crack Filler for my trailers and the products work great. I have been very satisfied with your products."

Michael G. Shay

General Manager, Two Sisters Moving Company



Key Polymer Corp. ■ 17 Shepard St. ■ Lawrence, MA 01843
1-888-KEY POLY ■ floorrestore@keypolymer.com

[SEE ALL PRODUCTS](#)

Key Polymer Floor Restore Product Line

Original Floor Restore - for truck & trailer floors

Smooth Move - for furniture van floors

Crack Filler - to fill deep gouges and cracks

Slip Stop - non-slip Floor Restore additive

Key Guard - chemical resistant floor surface



Key Polymer VOC Free Floor Restore

This is the product of choice for most applications. It is easily applied with a squeegee to assure deep penetration into the wood floor. The end result is a floor surface that is a dense composite of wood and epoxy. It is not applied as a thin surface coating.

A single kit contains enough material for a single coat for one trailer. It is easily applied at your facility or at one of our many dealers.

Two kits sizes, easily divided for use on 28 foot trailers, straight trucks and vans are available:

KEY EC1055AB (48ft Kit)

KEY EC53AB (53ft Kit)



Smooth Move - The Choice for Furniture Vans

This is the product of choice for most operations that require a smooth surface for sliding furniture and other items like poly bagged mattresses.

Furniture Van operators require a High Gloss, High Slip floor coating to meet their needs. Easily applied with a squeegee and a high quality thin nap roller, Smooth Move seals and protects Furniture Van floors while restoring the look that professional movers want.

It is a both a reinforcing gap filler and bright smooth topcoat. The floor surface is a pure epoxy surface. It is Solvent-Free, VOC-Free product and meets today's safety and environmental requirements.

A single kit contains enough material for a single coat for one trailer. It is easily applied at your facility or at one of our many dealers.

Two kit sizes, easily divided for use on 28 foot trailers, straight trucks and vans are available:

KEY SMOOTH MOVE 48ft Kit

KEY SMOOTH MOVE 53ft Kit



Key Crack Filler

Restoration of some damaged wooden trailer floors requires filling of deep gouges and cracks. Key Crack Filler is formulated to handle those tough filling applications while remaining fully compatible with Floor Restore Coatings.

Key Crack Filler is applied with a putty knife. You can even over-coat with Floor Restore or Smooth Move before Key Crack Filler is fully cured.

Quart kits are available:

CRACK FILLER KIT KEY FP100AB

Three one quart kits per carton

Slip Stop

When properly applied, Key Polymer Floor Restore has a slip characteristic similar to that of a new wooden floor. With Key Polymer Slip Stop, non-slip properties can be added while applying Floor Restore to the entire trailer, or to the rear part of the trailer only. The addition of Slip Stop provides a surface similar to rubber.

Slip Stop is supplied in 2.5 pound bags. Use two for a 48' or 53' trailer.

KEY SS100 (2.5 pound bag)

Key Guard - Chemical Resistant Floor Surface

Key Guard Floor Restore is a heavy duty floor surface that resists acids and many other chemicals. It has been specifically formulated to prolong the life of new wooden trailer floors that will be exposed to battery acid and other corrosive elements. Used trailer floors that have not been exposed to corrosives also can be treated with Key Guard to repair delaminations and restore structural strength.

Key Guard leaves a level, non-slip, Kevlar® fiber-reinforced surface that is highly flexible, even at sub-zero temperatures. It eliminates damage to freight from road water and completely seals the floor. Trailers treated with Key Guard can be detergent washed frequently without damage to the wood.

Key Guard is applied with a towel.

Kits sized to cover 24 square feet at 1/8" thickness are available. Seventeen kits are required to do a 48' x 102" trailer.

KEY GUARD KIT KEY 87117AB



Key Polymer Corp. ■ 17 Shepard St. ■ Lawrence, MA 01843
1-888-KEY POLY ■ floorrestore@keypolymer.com

CONTACT

Call **1-888-KEY POLY** today to learn how you can save time, money, and costly damage to your cargo with Key Polymer Floor Restore.

1-888-KEY POLY

Main Number: 978-683-9411

Customer Service: Extension 1

Fax: 978-686-7729

Mailing Address:

Key Polymer Corp.

17 Shepard St., Lawrence MA 01843

eMail: floorrestore@keypolymer.com

