

PRODUCT NAME: SLIP-STOP  
DESCRIPTION: NON-SLIP ADDITIVE

HMIS CODES:  
0 = NONE ... 4 = EXTREME  
HEALTH : 1  
FIRE : 0  
REACTIVITY: 0  
PERSONAL PROTECTION: E

## ===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: Key Polymer Corporation  
ADDRESS : 17 Shepard St.  
Lawrence, Ma. 01843

CHEMTREC EMERGENCY PHONE: (800) 424-9300      DATE PRINTED : 5/17/2005  
INFORMATION PHONE : (978) 683-9411      DATE LAST REVISED: 12/09/97

## ===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE MM HG @ TEMP	WEIGHT PERCENT	
GLASS OXIDE	65997-17-3	N/A	N/A	>85
NUISANCE DUST: RESPIRABLE - OSHA PEL 5mg/m3, ACGIH TLV 5mg/m3				
OTHER PARTICLES - OSHA PEL 15mg/m3, ACGIH TLV 10mg/m3				

SARA 313: No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present.

## ===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

APPEARANCE AND ODOR: White Powder No odor  
SOLIDS IN WEIGHT %: 100  
WEIGHT PER GALLON: 20.825 lb/gl      SPECIFIC GRAVITY (H2O=1): 2.501  
BOILING RANGE: >300°F  
EVAPORATION RATE: Nil  
VAPOR DENSITY: N/A      V.O.C.: 0.0 lb/gl

## ===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

OSHA FLAMMABILITY CLASS: Not regulated, Class IIIB  
FLASH POINT: N/A      METHOD USED: No Data  
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER (LEL): No Data      UPPER (UEL): No Data

EXTINGUISHING MEDIA: Water, Foam, Carbon Dioxide or Dry Chemical

SPECIAL FIREFIGHTING PROCEDURES: Wear positive pressure self-contained NOISH approved breathing equipment.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Sealed container may rupture. Keep cool with water.

## ===== SECTION V - REACTIVITY DATA =====

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: Mixture with or exposure to incompatible materials (see below.)

INCOMPATIBILITY (MATERIALS TO AVOID): Hydrofluoric Acid

HAZARDOUS DECOMPOSITION BYPRODUCTS: None

===== SECTION VI - HEALTH HAZARD DATA =====

HEALTH HAZARDS (ACUTE AND CHRONIC): Dust may cause eye and respiratory irritation.

EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: Remove to fresh air.

EYE CONTACT: Flush with water for 15 minutes with lids open. Seek medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash affected area with soap and water.

CARCINOGENICS: No Data

NTP CARCINOGEN: No Data

IARC MONOGRAPHS: No Data

OSHA REGULATED: No Data

=====SECTION VII - PROCEDURES FOR SAFE HANDLING AND USE; SPILLS; DISPOSAL =====

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: When handling material, care should be taken to avoid dusting.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Spillage may result in slippery conditons.

WASTE DISPOSAL METHOD: Dispose in accordance with local, state and federal regulations. Most states prohibit disposal of liquids in landfills.

OTHER PRECAUTIONS: As with all chemicals, good industrial hygiene and proper work habits should be observed.

===== SECTION VIII - PERSONAL PROTECTION RECOMMENDATIONS =====

RESPIRATORY PROTECTION: Usually not required. However, for confined areas or ar with poor ventilation, use a dust respirator.

VENTILATION: Mechanically exhaust vapors at point(s) of application. If applicable, maintain airborne contaminant levels of chemicals below their recommended TLV's. (See section II)

PROTECTIVE GLOVES: Impervious.

EYE PROTECTION: Splash Goggles.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: No Data

WORK/HYGIENIC PRACTICES: Wash thoroughly before eating or smoking.

===== SECTION IX - DISCLAIMER =====

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.

Since the use of this information, these opinions and the conditions of use of the product are not within the control of the Key Polymer Company, it is the user's obligation to determine the conditions of safe use of the product.